

## Replaces John Deere Z930M ZTrak Zero-Turn Mower Parts



Rotary Mower Caster Wheel



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.

## Replaces John Deere Z930M ZTrak Zero-Turn Mower Parts



Rotary Mower Caster Wheel

|                    | R&R<br>Part No.  | OEM<br>Part No.   | Description  | Qty<br>Req         | Orde<br>Quantit |
|--------------------|--|---|--|--------------------|-----------------|
| ires               | & Wheels   |   |  |                    |                 |
| 20                 | TIRES  |   | Click Here to View Complete Tire<br>Selection  | 0                  |                 |
| Optio              | onal Michelin Tweel  | Tires   |  |                    |                 |
| 30                 | RTMT73818  | AUC12143,<br>AUC14003,<br>AUC20309,<br>AUC23941,<br>TCA16946,<br>TCA19309,<br>UC14137   | Michelin X Tweel Turf Caster<br>Grooved - 13x6.5N6 (5/8in Mount)<br>290 lb Max Load  | 2                  |                 |
|                    | radius mowers, and<br>which helps ensure<br>dampen the ride for  | completely eliminate the the mower deck produces  | ers replace the existing front casters on zero t<br>e risk of flat tires. They have a consistent hub l<br>s an even cut, while the poly-resin spokes help<br>ofort, even when navigating over curbs and oth<br>wear life.: | height<br>)        |                 |
|                    | RTMT41011  | AUC12143,<br>AUC14003,<br>AUC20309,<br>AUC23941,<br>TCA16946,   | Michelin X Tweel Turf Caster<br>Smooth - 13x6.5N6 (5/8in Mount)<br>290 lb Max Load   | 2                  |                 |
| 30                 |  | TCA19309,<br>UC14137  |  |                    |                 |
| 30                 | radius mowers, and<br>which helps ensure<br>dampen the ride for  | UC14137<br>Aichelin X Tweel Turf cast<br>completely eliminate the<br>the mower deck produces  | ers replace the existing front casters on zero t<br>e risk of flat tires. They have a consistent hub l<br>s an even cut, while the poly-resin spokes help<br>ofort, even when navigating over curbs and oth<br>wear life.: | height<br>)        |                 |
|                    | radius mowers, and<br>which helps ensure<br>dampen the ride for  | UC14137<br>Aichelin X Tweel Turf cast<br>completely eliminate the<br>the mower deck produces<br>enhanced operator com                               | e risk of flat tires. They have a consistent hub l<br>s an even cut, while the poly-resin spokes help<br>ofort, even when navigating over curbs and oti  | height<br>)        |                 |
| Othe               | radius mowers, and<br>which helps ensure<br>dampen the ride for<br>bumps. They are des   | UC14137<br>Aichelin X Tweel Turf cast<br>completely eliminate the<br>the mower deck produces<br>enhanced operator com                               | e risk of flat tires. They have a consistent hub l<br>s an even cut, while the poly-resin spokes help<br>ofort, even when navigating over curbs and oti  | height<br>)        |                 |
| <b>Dthe</b><br>100 | radius mowers, and<br>which helps ensure<br>dampen the ride for<br>bumps. They are des<br><b>r Parts Available</b>                       | UC14137<br>Aichelin X Tweel Turf cast<br>completely eliminate the<br>the mower deck produces<br>enhanced operator com<br>signed to provide a long v | e risk of flat tires. They have a consistent hub l<br>s an even cut, while the poly-resin spokes help<br>ofort, even when navigating over curbs and oth<br>wear life.:   | height<br>)<br>her |                 |
| <b>Dthe</b><br>100 | radius mowers, and<br>which helps ensure a<br>dampen the ride for<br>bumps. They are des<br><b>r Parts Available</b><br><b>RTCU22376</b> | UC14137<br>Aichelin X Tweel Turf cast<br>completely eliminate the<br>the mower deck produces<br>enhanced operator com<br>signed to provide a long v | e risk of flat tires. They have a consistent hub l<br>s an even cut, while the poly-resin spokes help<br>ofort, even when navigating over curbs and oth<br>wear life.:<br>Cap  | height<br>her<br>2 |                 |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.





Rotary Mower Caster Wheel

| ltem <b>R&amp;R</b><br>No <b>Part No.</b> | OEM<br>Part No. | Description           | Qty <b>Order</b><br>Req <b>Quantity</b> |
|---|-----------------|-----------------------|---|
| 104 RTCU26325                             | TCU26325        | Castor Fork           | 2                                       |
| 105 <b>R14M7276</b>                       | 14M7276         | Nut - M16-2.0         | 2                                       |
| 106 <b>R19M7978</b>                       | 19M7978         | Cap Screw - M16 x 190 | 2                                       |
| 107 <b>R108-9017</b>                      | AA21480         | Bearing-Stainless     | 4                                       |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.