




DPA Cutting Unit - Models 03693, 03696 & 03697 Reel & Bedknife







DPA Cutting Unit - Models 03693, 03696 & 03697 Reel & Bedknife

|   | R&R<br>Part No.  | OEM<br>Part No.   | Description  | Qty<br>Req         | Order<br>Quantity |
|---|--|---|--|--------------------|-------------------|
|   | Reels, Lifetime Gua  |   |  |                    | <b>(</b>          |
| 1 | R127-2077  | 127-2077  | Reel - 5 Blade Radial 22x7   | 1                  |                   |
|   | then hardened to R<br>bedknives. All R&R F<br>Reels are then preci                     | C46-49 to match the temper<br>Reels are cylindrically ground<br>sion computer balanced for                                      | ctured from high carbon-boron alloy steel<br>of our bedknives and original equipment<br>d on bearing surfaces and then relief grou<br>extended bearing and reel life. R&R Produ<br>l and workmanship for the life of the reel o                                    | nd.<br>icts        |                   |
| 1 | R107-3264  | 107-3264  | Reel - 8 Blade 22x7  | 1                  |                   |
|   | then hardened to R<br>bedknives. All R&R I<br>Reels are then preci                     | C46-49 to match the temper<br>Reels are cylindrically ground<br>sion computer balanced for                                      | ctured from high carbon-boron alloy steel<br>of our bedknives and original equipment<br>d on bearing surfaces and then relief grou<br>extended bearing and reel life. R&R Produ<br>l and workmanship for the life of the reel o                                    | nd.<br>ucts        |                   |
| 1 | R117-0980  | 117-0980  | Reel - 11 Blade 22x7   | 1                  |                   |
|   | then hardened to R<br>bedknives. All R&R R<br>Reels are then preci                     | C46-49 to match the temper<br>Reels are cylindrically ground<br>sion computer balanced for                                      | ctured from high carbon-boron alloy steel<br>of our bedknives and original equipment<br>d on bearing surfaces and then relief grou<br>extended bearing and reel life. R&R Produ<br>l and workmanship for the life of the reel                                      | nd.<br>icts        |                   |
| 1 | R127-0294  | 127-0294  | Reel - 11 Blade Razor Series<br>Forward Swept Low Drag 22x7  | 1                  |                   |
|   | hardened to RC48-5<br>premium series bea<br>ground and precision<br>are guaranteed ago | 51 to match the temper of ou<br>Iknives. All R&R Reels are cyli<br>on computer balanced for ex<br>iinst defects in material and | ctured from a special high alloy steel and ur Razor bedknives and original equipmen indrically ground on bearing surfaces, reliestended bearing and reel life. R&R Products workmanship for the life of the reel under the grown Razor reels over standard reels.: | t<br>ef<br>s Reels |                   |
| 2 | R137-8437  | 137-8437  | Reel - 5 Blade Razor Series<br>Radial Low Drag (RR)<br>w/Bearings and Seals 22x7   | 1                  |                   |





DPA Cutting Unit - Models 03693, 03696 & 03697 Reel & Bedknife

| Item R&R           | OEM      |             | Qty | Order    |
|--------------------|----------|-------------|-----|----------|
| No <b>Part No.</b> | Part No. | Description | Req | Quantity |

Detail Description: R&R Razor Reels are manufactured from a special high alloy steel and then hardened to RC48-51 to match the temper of our Razor bedknives and original equipment premium series bedknives. All R&R Reels are cylindrically ground on bearing surfaces, relief ground and precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use. You can expect up to double the life from Razor reels over standard reels.:

2 **R137-8432** 137-8432 Reel - 8 Blade Radial w/Bearings and Seals 22x7

Detail Description: R&R Reel blades are expertly crafted from premium high carbon-boron alloy steel, heat-treated to perfectly complement both R&R and OEM bedknives. Each reel undergoes precision cylindrical grinding on bearing surfaces, followed by relief grinding for optimal performance. Advanced computer balancing ensures extended reel and bearing life. Backed by our lifetime guarantee against defects in materials and craftsmanship under normal use, R&R Reels deliver unmatched durability and cutting precision you can trust.:

2 **R137-8433** Reel - 11 Blade Radial w/Bearings and Seals 22x7

Detail Description: R&R Reel blades are expertly crafted from premium high carbon-boron alloy steel, heat-treated to perfectly complement both R&R and OEM bedknives. Each reel undergoes precision cylindrical grinding on bearing surfaces, followed by relief grinding for optimal performance. Advanced computer balancing ensures extended reel and bearing life. Backed by our lifetime guarantee against defects in materials and craftsmanship under normal use, R&R Reels deliver unmatched durability and cutting precision you can trust.:

Reel - 11 Blade Razor Series
2 R137-8439 137-8439 Forward Swept Low Drag (Fsr) 1
w/Bearings and Seals 22x7

Detail Description: R&R Razor Reels are manufactured from a special high alloy steel and then hardened to RC48-51 to match the temper of our Razor bedknives and original equipment premium series bedknives. All R&R Reels are cylindrically ground on bearing surfaces, relief ground and precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use. You can expect up to double the life from Razor reels over standard reels.:

#### R&R Bedknives, Lifetime Guaranteed

3 **R110-4074** 110-4074 Bedknife - High Cut





DPA Cutting Unit - Models 03693, 03696 & 03697 Reel & Bedknife

| Item R&R           | OEM      |             | Qty | Order    |
|--------------------|----------|-------------|-----|----------|
| No <b>Part No.</b> | Part No. | Description | Req | Quantity |

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

3 **R108-9096** 108-9096 Bedknife - Standard

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

3 **R110-4084** 110-4084 Bedknife - Low Cut 1

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

3 **R120-1640** 120-1640 Bedknife - Low Cut Extended 1

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

#### R&R Razor Tool Steel Bedknives, Lifetime Guaranteed

3 **R108-9095** 108-9095, Bedknife - Razor Tool Steel - 22 High Cut

Detail Description: R&R Razor bedknives are manufactured from premium alloy tool steel steel and then hardened to RC48-51 to match the temper of our Razor reel blades and original equipment premium series reels. Bedknives are surface ground on the top and front edge and specially packaged for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part. You can expect up to double the life over standard bedknives.:





DPA Cutting Unit - Models 03693, 03696 & 03697 Reel & Bedknife

|       | R&R<br>Part No.   | OEM<br>Part No.   | Description  | Qty<br>Req | Order<br>Quantity |  |
|-------|---|---|--|------------|-------------------|--|
| 3     | R119-4280   | 119-4280  | Bedknife - Razor Tool Steel -<br>22 x 3/8 Extended   | 1          |                   |  |
|       | and then hardened to<br>equipment premium<br>specially packaged fo<br>grind for added life. A | o RC48-51 to match the temp<br>series reels. Bedknives are su<br>r rust prevention. All R&R Be<br>NI R&R Bedknives are guarar | ufactured from premium alloy tool steel soer of our Razor reel blades and original surface ground on the top and front edge additional description on the top and front edge additional description of the lift part. You can expect up to double the lift | and<br>e   |                   |  |
| 3     | R137-0832   | 125-2771,<br>127-7132,<br>137-0832  | Bedknife - Razor Tool Steel -<br>3/8 x 22 Lowcut   | 1          |                   |  |
| Overl | haul Kits   |   |  |            |                   |  |
| 4     | R120-7230   | 120-7230  | Overhaul Kit - Fits DPA Units  | 1          |                   |  |
|       | •   | cl 2 ea.: R108-0015, R115-70<br>, R3296-48 & 4 ea: R106-534   | 39, R119-4155, R120-5116, R120-5118,<br>14:  |            |                   |  |
| 5     | R110-9600   | 110-9600  | High HOC Kit   | 1          |                   |  |
|       |   | cludes 1 ea.: R120-0404, R12<br>104-8300, R453011, R104-8.  | 0-0405 & 2 ea: R112-7451, R322-16, R44.<br>301 & 8 ea: R106-3925:  | 5722       |                   |  |
| Othe  | r Parts Available   |   |  |            |                   |  |
| 70    | R107-3273-01  | 107-3273-01   | Bed Bar - Fits OEM Units Only  | 1          |                   |  |
| 71    | R119-4151   | 119-4151  | Screw - Bedknife 5/16-18 x<br>17/32  | 8          |                   |  |
| 72    | R120-0404   | 120-0404  | Bracket- High HOC - LH   | 1          |                   |  |
|       | Detail Description: Fits 2011 & Newer:  |   |  |            |                   |  |
| 73    | R120-0405   | 120-0405  | Bracket - High HOC - RH  | 1          |                   |  |
|       | Detail Description: Fit   | s 2011 & Newer:   |  |            |                   |  |
| 74    | R322-16   | 322-16,<br>Apr-00   | Bolt - Hex HD 5/16-18 x 1-1/8  | 2          |                   |  |





DPA Cutting Unit - Models 03693, 03696 & 03697 Reel & Bedknife

|    | R&R<br>Part No. | OEM<br>Part No.  | Description                              | Qty<br>Req | Order<br>Quantity |
|----|-----------------|--|--|------------|-------------------|
| 75 | R107-7773       | 107-7773   | Bolt - Soc HD Cap 5/16-18 x<br>2-1/2     | 1          |                   |
| 76 | R453011         | 01-166-0100,<br>01-166-0120,<br>01-166-0270,<br>01-166-0500,<br>01-166-0600,<br>01-166-0620,<br>132-4593,<br>2356-3,<br>237-12,<br>24-10-AD,<br>24-11-BD,<br>24-12-AD,<br>24-12-BD,<br>30-9310,<br>32-8190,<br>32-8190,<br>3256-24,<br>3256-3,<br>3256-3,<br>3256-4,<br>453011,<br>47-9950,<br>48-9220,<br>513458,<br>7-0052 | Washer - Flat 3/8 SAE Y/Zinc             | 4          |                   |
| 77 | R112-7451       | 100-9429,<br>112-7451  | Bolt - Hex Tap 3/8-16 x 2-3/4            | 2          |                   |
| 78 | R445722         | 30-8980,<br>32128-2,<br>32128-20,<br>32128-20  | Nut - Serrated Washer                    | 2          |                   |
| 79 | R107-2996       | 107-2996   | Grass Shield - Front                     | 1          |                   |
| 80 | R110-1706       | 110-1706   | Deflector                                | 5          |                   |
| 81 | R108-9083       | 108-9083   | Side Plate - RH - Fits OEM<br>Units Only | 1          |                   |
| 82 | R108-9082       | 108-9082   | Side Plate - LH - Fits OEM Units<br>Only | 1          |                   |





DPA Cutting Unit - Models 03693, 03696 & 03697 Reel & Bedknife

|    | R&R<br>Part No. | OEM<br>Part No.   | Description                         | Qty<br>Req | Order<br>Quantity |
|----|-----------------|---|-------------------------------------|------------|-------------------|
| 83 | R112-6967       | 112-6967  | O-Ring                              | 2          |                   |
| 84 | R107-7779-01    | 107-7779-01   | Grass Shield Assy - Rear            | 1          |                   |
| 85 | R101526         | 01-150-0970,<br>01-178-0620,<br>20-53-AGD,<br>321-11,<br>3224-8,<br>323-11,<br>323-12,<br>323-31,<br>323-4,<br>323-4, | Bolt - Hex HD 3/8-16 x 2-1/2<br>GR5 | 2          |                   |
| 86 | R106-3924       | 106-3924  | Bracket - Rear Roller               | 2          |                   |
| 87 | R115-2007       | 107-7437,<br>115-2007   | Rod - Spring                        | 1          |                   |
| 88 | R110-4069       | 110-4069  | Bracket                             | 1          |                   |
| 89 | R99-8662        | 99-8662   | Tube - Spring                       | 1          |                   |
| 90 | R443818         | 01-191-0813,<br>3218-18,<br>3218-5  | Nut - 1/2-13 Hex Jam Zinc           | 3          |                   |
| 91 | R104-8301       | 104-8301,<br>104-9301,<br>109-6658,<br>133-7570   | Locknut - 3/8-16 Nylon<br>Flanged   | 8          |                   |
| 92 | R3231-25        | 01-173-0610,<br>30-9970,<br>3231-25,<br>3231-3,<br>900064P  | Bolt - Carriage 3/8-16 x 1-1/4      | 4          |                   |
| 93 | R104-3396       | 104-3396  | Bolt - Hex HD 3/8-16 x 2-1/4        | 1          |                   |
| 94 | R120-5118       | 120-5118  | Shaft - Adjuster                    | 2          |                   |

Tech Note: Fits 2012 and Up:





DPA Cutting Unit - Models 03693, 03696 & 03697 Reel & Bedknife

|     | R&R<br>Part No.            | OEM<br>Part No.                              | Description                                    | Qty<br>Req | Order<br>Quantity |
|-----|----------------------------|--|--|------------|-------------------|
|     | Detail Description: 2012 & | Newer:                                       |  |            |                   |
| 94  | R106-5363                  | 106-5363                                     | Shaft - Adjusting - Bed Bar -<br>Stainless     | 2          |                   |
|     | Tech Note: Fits 2009-2011: |  |  |            |                   |
| 95  | R120-5116                  | 120-5116                                     | Washer - Wave                                  | 2          |                   |
|     | Tech Note: Fits 2012 and U | p:   |  |            |                   |
| 95  | R106-5335                  | 106-5335                                     | Wave Washer - Reel Adjusting                   | 2          |                   |
|     | Tech Note: Fits 2009-2011: |  |  |            |                   |
| 96  | R106-5344                  | 106-5344                                     | Bushing - Flanged and Keyed                    | 4          |                   |
| 97  | R108-0015                  | 108-0015                                     | Washer - Flat                                  | 2          |                   |
| 98  | R3296-33                   | 3296-33                                      | Locknut - 5/8-18 ESNA Jam                      | 4          |                   |
| 99  | R115-7039                  | 115-7039                                     | Screw - Adjuster - Bedbar                      | 2          |                   |
|     | Tech Note: Fits 2012 and U | p:   |  |            |                   |
| 99  | R99-2096                   | 99-2096                                      | Screw - Bed Bar Adjustment -<br>M10 Thrd 1 End | 2          |                   |
|     | Tech Note: Fits 2009-2011: |  |  |            |                   |
| 100 | R119-4155                  | 119-4155                                     | Washer - Hardened                              | 2          |                   |
|     | Tech Note: Fits 2012 and U | p:   |  |            |                   |
| 100 | R99-2098                   | 99-2098                                      | Washer - Bed Bar Adjuster                      | 2          |                   |
|     | Tech Note: Fits 2009-2011: |  |  |            |                   |
| 101 | R110-4079                  | 110-4079                                     | Spring   | 1          |                   |
| 102 | R3296-48                   | 119-4039,<br>32146-7,<br>3296-34,<br>3296-48 | Locknut - 7/16-14 ESNA                         | 2          |                   |





DPA Cutting Unit - Models 03693, 03696 & 03697 Reel & Bedknife

| Item <b>R&amp;R</b><br>No <b>Part No.</b> | OEM<br>Part No.                    | Description                         | Qty<br>Req | Order<br>Quantity |
|---|------------------------------------|-------------------------------------|------------|-------------------|
| 103 <b>R99-2097</b>                       | 99-2097                            | Detent - Bed Bar Adjuster           | 2          |                   |
| 104 <b>R110-4058</b>                      | 110-4058                           | Bracket - Chain                     | 1          |                   |
| 105 <b>R107-7400</b>                      | 107-7400                           | Pin - Lynch                         | 1          |                   |
| 106 <b>R92-2762</b>                       | 92-2762                            | Pin - Snap                          | 1          |                   |
| 107 <b>R56-9520</b>                       | 56-9520                            | Bushing - Nyliner                   | 2          |                   |
| 108 <b>R61-1950</b>                       | 61-1950                            | Washer - Nylon - Bed Bar            | 4          |                   |
| 110 <b>R106-9623</b>                      | 106-9623                           | Bolt - Bedbar                       | 2          |                   |
| 112 <b>R106-9618</b>                      | 106-9618                           | Bushing - Rubber                    | 2          |                   |
| 113 <b>R107-2979</b>                      | 107-2979                           | Bolt - Shoulder                     | 4          |                   |
| 116 <b>R108-4279</b>                      | 108-4279                           | Spacer - Frame                      | 2          |                   |
| 117 <b>R93-2877</b>                       | 93-2877                            | Bushing - Flanged                   | 2          |                   |
| 119 <b>R87-7270-01</b>                    | 87-7270                            | Washer - Flat 1/2                   | 1          |                   |
| 120 <b>R104-8300</b>                      | 104-8300,<br>104-8300,<br>119-4041 | Locknut - 5/16-18 Flanged<br>Y/Zinc | 4          |                   |
| 121 <b>R3230-30</b>                       | 3230-30                            | Bolt - Carriage 5/16x4 1/2          | 4          |                   |
| 122 <b>R93-6688</b>                       | 93-6688                            | Decal - Warning                     | 1          |                   |
| 123 <b>R125-2796</b>                      | 125-2796                           | Bracket- Front HOC                  | 2          |                   |
| Tech Note: Fits 2013 and U                | p:                                 |                                     |            |                   |
| Detail Description: Fits 201              | 3 & Newer:                         |                                     |            |                   |
| 123 <b>R107-2952</b>                      | 107-2952                           | Bracket - Front Roller              | 2          |                   |
| Tech Note: Fits 2009-2012:                |                                    |                                     |            |                   |
| 125 <b>R107-3258</b>                      | 107-3258                           | Frame                               | 1          |                   |





DPA Cutting Unit - Models 03693, 03696 & 03697 Reel & Bedknife

|     | R&R<br>Part No.             | OEM<br>Part No.  | Description                         | Qty<br>Req | Order<br>Quantity |
|-----|-----------------------------|--|-------------------------------------|------------|-------------------|
| 126 | R110-4088-03                | 110-4088-03,<br>119-8010-03  | Kickstand                           | 1          |                   |
| 127 | R120-5120                   | 120-5120   | Spring - Compression                | 2          |                   |
|     | Tech Note: Fits 2012 and Up | o:   |                                     |            |                   |
| 127 | R99-3755                    | 99-3755  | Spring - Bed Bar Adjusting          | 2          |                   |
|     | Tech Note: Fits 2009-2011:  |  |                                     |            |                   |
| 128 | R119-0626                   | 119-0626   | Shim - Roller - 1/4 in - Slotted    | 8          |                   |
|     | Tech Note: Fits 2011 and Up | o:   |                                     |            |                   |
| 128 | R106-3925                   | 106-3925   | Shim - 1/4 - Rear Roller HOC        | 8          |                   |
|     | Tech Note: Fits 2009-2010:  |  |                                     |            |                   |
| 129 | R3231-4                     | 01-157-0440,<br>01-173-0612,<br>3231-4   | Bolt - Carriage 3/8-16 x 1-1/2      | 2          |                   |
| 130 | R32128-43                   | 30-8990,<br>32128-43,<br>3290-357  | Nut - Flanged Whiz - 3/8-16         | 2          |                   |
| 130 | R3296-39                    | 32127-25,<br>32128-36,<br>3290-357,<br>3296-17,<br>3296-22,<br>3296-39,<br>915663P,<br>99-7443 | Locknut - 3/8-16 Nylon              | 7          |                   |
| 131 | R107-7433                   | 107-7433   | Carrier Frame Assy                  | 1          |                   |
| 132 | R108-4284                   | 108-4284   | Shaft - Support                     | 1          |                   |
| 133 | R108-4269-01                | 108-4269-01  | Weight                              | 1          |                   |
| 134 | R107-3275                   | 107-3275   | Insert - Threaded - RH - 9<br>Tooth | 1          |                   |





DPA Cutting Unit - Models 03693, 03696 & 03697 Reel & Bedknife

| Item <b>R&amp;R</b><br>No <b>Part No.</b> | OEM<br>Part No.               | Description                           | Qty<br>Req | Order<br>Quantity |
|---|-------------------------------|---------------------------------------|------------|-------------------|
| 135 <b>R107-3276</b>                      | 107-3276                      | Insert - Threaded - LH - 9<br>Tooth   | 1          |                   |
| 136 <b>R92-2601</b>                       | 92-2601                       | Snap Ring                             | 2          |                   |
| 137 <b>R107-4028</b>                      | 105-6757,<br>107-4028         | Seal - Grease                         | 2          |                   |
| 138 <b>R93-2489</b>                       | 93-2489                       | Bearing - Reel                        | 2          |                   |
| 139 <b>R107-2954</b>                      | 107-2954                      | Nut - Bearing Adjuster                | 2          |                   |
| 140 <b>R117-0975</b>                      | 117-0975                      | Tool- Reel Bearing Installation       | 1          |                   |
| 141 <b>R170714</b>                        | 302-34,<br>302-39,<br>62-3520 | Fitting - Pressure Relief             | 1          |                   |
| 142 <b>R94-2703</b>                       | 94-2703                       | Plug - Plastic Spindle Housing        | 1          |                   |
| 143 <b>R3234-19</b>                       | 3234-19                       | Bolt - Hex Washer<br>3/8-16x1-3/4     | 2          |                   |
| 144 <b>R67-9410</b>                       | 67-9410                       | Washer - Clevis Pin                   | 1          |                   |
| 145 <b>R114-9396</b>                      | 114-9396,<br>119-4067         | Bolt - Hex HD 5/16-18 x 3/8           | 2          |                   |
| 146 <b>R3234-7</b>                        | 3234-7                        | Bolt - Hex Washer HD 5/16-18<br>x 5/8 | 4          |                   |
| Tech Note: Fits 2010 and U                | p:                            |                                       |            |                   |
| 146 <b>R3234-47</b>                       | 3234-47                       | Bolt - Flanged Hx HD                  | 4          |                   |
| Tech Note: Fits 2009:                     |                               |                                       |            |                   |
| 147 <b>R107-7447</b>                      | 107-7447                      | Set Screw - 1/4 x 1-1/4 Sq HD         | 1          |                   |





DPA Cutting Unit - Models 03693, 03696 & 03697 Reel & Bedknife

| ltem <b>R&amp;R</b><br>No <b>Part No.</b> | OEM<br>Part No.   | Description                        | Qty<br>Req | Order<br>Quantity |
|---|---|------------------------------------|------------|-------------------|
| 148 <b>R323-6</b>                         | 01-150-0010,<br>01-178-0608,<br>20-47-AD,<br>20-47-AGD,<br>3224-2,<br>323-6,<br>49-3510,<br>908034P,<br>908332                              | Bolt - Hex HD 3/8-16 x 1 GR5<br>YZ | 2          |                   |
| 149 <b>R3256-26</b>                       | 01-166-0540,<br>01-166-0820,<br>17-2530,<br>24-13-BD,<br>30-8570,<br>3256-26,<br>356206,<br>48-9390   | Washer - 1/2 in                    | 2          |                   |
| 149 <b>R453017</b>                        | 01-166-0050,<br>01-166-0240,<br>01-166-0800,<br>24-13-AD,<br>24-14-AD,<br>32-8110,<br>3256-26,<br>3256-6,<br>453017,<br>69-8980,<br>87-7270 | Washer - Flat 1/2                  | 2          |                   |